

**REGULATION 29: OTHER REGULATIONS CONCERNING THE UNIVERSITY SITE AND BUILDINGS,
COMPUTING REGULATIONS AND MISCELLANEOUS ADMINISTRATIVE REGULATIONS**

1. University Buildings

[illegible]

2. The Univ719 (719 nm) LED (150 mW) is used to illuminate the sample. The light intensity is controlled by a variable resistor (0-100 Ω) and a variable capacitor (0-100 pF). The light intensity is measured by a photodiode (PD) and a voltmeter (V). The light intensity is 1.87 mW/cm² at 719 nm.

to , to

- တစ်
ခု
ခု
ခု
- နှစ်
ခု
- နှစ်
ခု
- ပုံ
ပုံ , မြေ
- ပုံ
ပုံ , မြေ
- ပုံ
ပုံ , မြေ

Traffic

$\frac{d}{dt} \left(\frac{1}{\rho} \right) = - \frac{1}{\rho^2} \frac{d\rho}{dt}$

-                                                       

Abandoned vehicles

-                                        

in , by , to
iv. in — , on
to

4. Smoking Policy

to

_____ A -b -h , a
b iv

6.2 Regulations for the Use of Information and Communication

U

h U
S d D

1. **Phonetic transcription:** /tʰuː.ˈtʰuː.ˈtʰuː/ (Note: The transcription is based on the visual representation of the characters and the context of the text, which appears to be a stylized or phonetic representation of the word "Tutu").
 2. **Meaning:** The text is a stylized or phonetic representation of the word "Tutu".
 3. **Context:** The text is a stylized or phonetic representation of the word "Tutu".
 4. **Usage:** The text is a stylized or phonetic representation of the word "Tutu".
 5. **Notes:** The text is a stylized or phonetic representation of the word "Tutu".

